

FIRE PROTECTION

VALVES ANGLE HOSE - F X F CAST BRASS

FEATURES & APPLICATIONS:

- Working PSI (150) WOG
- DRY SYSTEM: Pipe is maintained empty of water
- WET standpipe system: Pipes are kept full of water for manual or automatic fire fighting operations



TECHNICAL DATA:

- **WOG** = Rating indicates the maximum non-shock pressure at ambient temperatures at which the valve may be used.
- **CWP** = Cold working pressure


WOG: Water, Oil & Gas: This was an older, generic pressure rating call-out which has been largely replaced by CWP. In this designation, GAS" refers to any non-flammable, compressible fluid in a gaseous state. It does not imply a product's suitability or third-party approval for use with flammable gases. Similarly, in this designation, "Oil" does not imply a product's third-party approval for use with any petroleum products.

BRASS	
Size	Part #
1-1/2" F NPT x 1-1/2" F NPT	2815825



FIRE PROTECTION





Mat	Material					
No.	Description	#	Material			
1	Nut	1	S/S			
2	Washer	1	S/S			
3	Hand Wheel	1	AL-6061			
4	Nut	1	HPb59-1			
5	PTF4 Gasket	1	F4			
6	Valve Stem	1	HPb59-1			
7	Cover	1	HPb59-1			
8	NBR Washer	1	NBR			
9	Under Nut	1	HPb59-1			
10	Bonnet Nut	1	HPb59-1			
11	NBR Washer	1	NBR			
12	Washer	1	HPb59-1			
13	Nut	1	Steel Chromed			
14	Valve Body	1	HPb59-1			

Dimensions						
D	L	L1	d	g	Part #	
1-1/4"	6.3740	3.7402	1.2795	0.1260	SF125xxxx	
1-1/2"	6.3740	3.7402	1.5315	0.1260	SF150xxxx	
2"	8.0000	4.9606	2.0315	0.1260	SF200xxxx	
2-1/2"	8.0000	4.9606	2.5315	0.1575	SF250xxxx	
3"	8.3740	4.9606	3.0315	0.1575	SF300xxxx	
4"	8.3740	4.9606	4.0315	0.1575	SF400xxxx	

VALVES - ANGLE HOSE - F X F				
DISCLAIMER All drawings and specifications are subject to change without notice. Drawings represent general dimensions of our products. Seal Fast cannot guarantee the dimensions of the part will exactly match those in the drawing. This drawing is the property of Seal Fast Inc. Copying or reproduction of this drawing is expressly prohibited.	MATERIAL	CAST BRASS		
DRAWING NOT TO SCALE	PART#	2815825		

